







CERTIFIED MAIL RETURN RECEIPT REQUESTED

March 23, 2004

ESH-ERP-2004-00063 (7099-3220-0003-3832-7257)

Mr. J. T. Litton, Director
Division of Waste Management
Bureau of Land and Waste Management
South Carolina Department of Health
and Environmental Control
2600 Bull Street
Columbia, South Carolina 29201

Dear Mr. Litton:

2000 RCRA PART B PERMIT RENEWAL APPLICATION VOLUME I, GENERAL INFORMATION REVISION 5, JANUARY 2004

Enclosed for your review and approval are two copies of the subject revised pages (Revision 5, dated January 2004) of Volume I of the 2000 RCRA Part B Permit Renewal Application. This modification is being submitted as discussed with your staff on March 3, 2004. Specifically, this revision includes the following changes:

- 1) Provides Part A revision 33 pages to be inserted into section A of Volume I.
- 2) Updates the status of the SRTC Mixed Waste Storage Tanks in the Appendix 4 Solid Waste Management Unit (SWMU) list

Please note that changes made to the 2000 Part B Permit Renewal Application have been denoted in **BOLD** or strike - through. Revision instructions are also included (Enclosure 2) to aid in updating the permit application.

We feel that this modification should be considered a Class 1 modification that requires SCDHEC approval.

Revision 33 of the Part A is being submitted by a separate letter. This Part A modification removes the SRTC Tanks from the Part A.

A site specific checklist as required by SCHWMR R.61-79.270.10 (l) is not included with Volume I. Refer to the inspector checklists submitted with each of the other facility specific volumes of the Part B for information to satisfy this regulatory requirement.

Mr. John T. Litton ESH-ERP-2004-00063 Page 2 March 23, 2004

Questions from your staff on the permit application modification may be directed to W. J. Maloney (803/725-1086).

M. B. Hughes

M. B. Hughes, Manager

Environmental Regulatory Policy Group

Environmental Services Section

Westinghouse Savannah River Company, LLC

wjm/aeo

Enc. (2) copies

Enclosure 1 – Rev. 5 pages

Enclosure 2 – revision instructions

c: N. Kumar, USEPA-Region IV (w/enclosure)

D. C. Taylor, USEPA-Region IV

O. Johnson, USEPA-Region IV

M. C. Reece, SCDHEC-Aiken (w/enclosure)

C. D. Rippy, SCDHEC-Columbia

Mr. John T. Litton ESH-ERP-2004-00063 Page 3 March 23, 2004

bc:

A. B. Gould, DOE-SR, 730-B (concur)

B. T. Hays, DOE-SR, 730-B (concur)

D. F. Hoel, DOE-SR, 730-B (concur)

L. Davis, DOE-SR, 730-B (concur)

J. Bolen, DOE-SR, 730-B

P. M. Allen, 742-A

D. P. Skiff, 773-43A (concur)

D. D. Hoel, 773-43A, (w/ 1 attach)

L. Eldridge, 773-43A

N. J. Lowry, 742-A

J. W. Koch, 742-A

W. J. Maloney, 742-A, (w/ 1 attach)

A. R. Gough, 719-4A (concur

ERP File, 742-A

Records Processing, 773-52A*

FILE INFO:

Resource Conservation & Recovery Act (RCRA)

10048 DOE 1-9.a Permanent

* 1 copy of enclosure

Regulatory Document Preparation Summary and Approval

of Preparation of 3 or e Signature Maloney leview Office (GCO) Review Omments Resolved (If A	Lewing Any)	Date 12/9/03 Date 12-9-03 Date 12/9/09
er'e Signature MALONEY Review Ments Office (GCO) Review Dominents Resolved (If A	Lawry Any)	Date 12/9/03 Date 12-9-03 Date 12-9-03
maloney leview Maloney Ments March March Months March Marc	Lewing Any)	Date 12-9-03 Date 12-9-03
maloney leview Maloney Ments March March Months March Marc	Lawry Any)	Date 12-9-03 Date 12-9-03
maloney leview Maloney Ments March March Months March Marc	Lawry Any)	Date 12-9-03 Date 12-9-03
maloney leview Maloney Ments March March Months March Marc	Lewing Any)	Date 12-9-03 Date 12-9-03
Office (GCO) Review Domments Resolved (If A	Lewny Any)	Date 12-9-03 Date 12-9-03
Office (GCO) Review Dimments Resolved (If A	Lawry Any)	Date 12-9-0.3 Date 2/8/04
Office (GCO) Review Omments Resolved (If A	Lowery Any)	Date 2/8/04
Office (GCO) Review Omments Resolved (If A	Lawry Any)	Date 2/8/04
Office (GCO) Review Omments Resolved (If A	Lawry Any)	Date 2/8/04
Office (GCO) Review Omments Resolved (If A	Lewing Any)	Date 2/8/04
Office (GCO) Review Omments Resolved (If A	Lawry Any)	Date 2/8/04
Office (GCO) Review Omments Resolved (If A	Lawry Any)	Date 2/8/04
Office (GCO) Review Domments Resolved (If A	Any)	Date 2/8/04
Approvale Hughes	Any)	Date 10-1
Approvala /	Any)	Date 10-1
Approvala /		Date 10-1
Approvale - Hughes		Date 10-1
Approvale - Hughes		Date 10-1
Approvale - Hughes		Date 10-1
Approvale - Hughes		Date 10-1
- Hughes		Data
- Hughes	\bigcirc	Date (2/0/2)
		12/9/03
Sla CC		. Date
sk.ff		12/16/03
- Gaiffin		Date
	· · · · · · · · · · · · · · · · · · ·	1-5-04 Date
SWAIN		1-6-04
Alland		Date
•	•	1-8-04
oncurrence		
Division	Approval Initials	Date
1 6 (1)	9-	1/30/04
	-	T 11 3/
WOPD	m S	1-29-04
	141	
Pamb	1000	1-30-44
EQMD	DA	1-30-04
	1010	
	Division WOPD EQMD	Division Approval initials WOPD MS Eam D 1862



Regulatory Document Preparation Summary and Approval

A. D	Document Prepa	ration		
Document Title and No. ESH-ERP - 200 4	-00063			PARTB
Regulatory Agency Due Date	0.007			
ASAP				
Division and Department Preparing Document				
Preparer and Title	Preparer's Sign	ature		Date / /
malma	W. MA	Loney		12/9/03
	B. Review			
Date Document Received 12-9-03				
Review Actions Reviewed letter and att	tachmen	ts.		
	15		A	Date
N. J. Lowry, Tech. Lead C. General		ncy At	ewn	12-9-03
	Counsel Office	(GCO) Heview	, 0	
Date Document Received	Commer	nts Resolved (If Ar	ny)	
Review Actions Similar to E CM6.1				
9/milay 10 6 CM6:1			,	
GCO Reviewer and Title	Signature			Date /9/8/04
Ann R. Golden, Jenier Coursel	Char-	X.	and _	2/8/89
	D. M&O Appro	vals	-(-)	Date (2/9/03
Signature MB/Huchos	M. B. H	ughes		14100
Signature	D. P. 5k	1		Date /2/16/03
Signature Sul Buffing	T. W. G	riffin		Date 1-5-04
Signature MARIA	M.J.	SWAIN		Date 1-6-04
Signature	P. M. Al	ler		Date 1-8-04
E	. DOE-SR Conc	urrence		
Concurrence Required?		-		
DOE Signing Official's Name and Title (Print Name)		Division	Approval Initials	Date
Comments				
		•		

OSR 14-357# (Rev 8-10-2001)

Westinghouse Savannah River Company

Do	ocument A	4ppro	oval Sheet	WSRC-IM-9	8-30
Title 2000 PART B PERMIT APPL	ICATION. 190W	me I i	rev 5	Requested Approval Da	
Primary Author/Contact	Location		Phone No.	1/15/04 Position	
W. MALOrey	7421	4	51086	ENQ.	User ID 0 8567
Organization Code }	Organizatio	n (No Abbre	eviations)	7	2006
YIFZOO	CN CN	ou-ser	vices section		
Other Authors			Key Words (list 3)		
Has an invention disclosure, patent ap been submitted related to this informat	plication or copyright	application	Yes No If ye	s, date submitted	
Disclosure No. (If Known)	ion ?	Title			
If no, do you intend to submit one?	☐ Yes ☐ No	If yes, p	rojected date		
Information Product Description					
L Technical Report		Dame	☐ Journal Article Journal	Name	
Semiannual Annual Fina	ıl ∐Topical 🔀 Othe	HC, D	Book/Book Chapter B	ook Name	
Administrative Report			Conference Submission	! *	
Semiannual Annual Fina	l Topical Othe	er	Abstract Con	,	
☐ Videotape/Multimedia	•		Slides/poster/displa	Other	
External Web Page URL			*Conference Title		
Brochure/Booklet			*Conference Location (Ci	ty, State, Country)	
Procedure/User Guide					
Drawing			*Conference Dates	m/d/y thru	m/d/y
Software Package (for submission t	o ESTSC)		*Conference Sponsor		
References Approved for Release/Publicly Available	Included as Attac	hment(s)			
I understand that for the information in this	material to be given e	xternal distrib	oution, approvals by both WSR	C and, as appropriate, DOE-SR are	required.
Distribution (verbally or published) must be orders, and the content of the external dis	e in accordance with po tribution must be limited	licies set fort	h in WSRC management requ	irements and procedures (MRP 3.25	5) and in DOE-SR
W. MAlo	ren	- 10 11.01 0010	Wylalon -	- 12/9	02
Author's Name (F			Author's Signature		ite
Approvals by Author's Organiz				Commence of the Commence of th	<i></i>
Derivative Classifier W. MALON en	Classification	on	Topic ENURONMEN	tal PARTB	
Intended Distribution			Explanation for L		7 - 77 - 78 - 1911 - 1911 - 1911
Unlimited (release to public)		Site L	Ise Only	Corporate/University Partner	
Limited (see explanation)		Other	DOE facility(ies) only	Other	
I understand and have considered whethe any contractural barriers (CRADAs, Work	r any potential intellecti for Others, etc.) may be	ual property r	ights (patents, copyrights, etc.	, in accordance with MP 1.09 and M	IRP 1.07) or
concerns were identified, these have been	discussed and resolve	d with Genje	ral Counsel	/ rich be proposed for public release	. 11 any
Manager's Name (- 1		Manager's Signature		3
WSRC Classification Office Revi		WSRC	Classification Officer's		
Classification/EC/OPSEC		Name	W- MALONE	A	
□Overall □ S □ C			10 11/19000		
∐Title ☐ S ☐ C	□ UONI □ V	Signature	$\mathbf{a} \cdot \mathbf{a} \sim \mathbf{a} \propto \mathbf{a}$	\ Dat	e lat-
	DOM DU	Signature	The second	Dat	10/4/03
Export Control Concerns	UCNI U Yes No	Signature	The second	THIS DOCUM	ENT HAS
	DOM DU	´	The second	THIS DOCUMI NO INFORM	INT HAS ATION
Export Control Concerns OPSEC Concerns Export Control Review (If differe	UCNI U VOICE NO Yes No	Comment	The second	THIS DOCUMI NO INFORM SECURITY CO	ENT HAS ATTON NCERNS
Export Control Concerns OPSEC Concerns	UCNI U VOICE NO Yes No	Comment	s	THIS DOCUMI NO INFORM SECURITY CO han above)	ENT HAS ATION NCERNS.
Export Control Concerns OPSEC Concerns Export Control Review (If differe	UCNI U VOICE NO Yes No	Comment	Reviewer (If different to	THIS DOCUMI NO INFORM SECURITY CO	ENT HAS ATION NCERNS. OFSEC, ECO RMATION
Export Control Concerns OPSEC Concerns Export Control Review (If different Name	UCNI V Yes No Yes No	Comment OPSEC Name	Reviewer (If different to	THIS DOCUMI NO INFORM SECURITY CO HAI STANGLE-BC LEAD, WERE INFO	ENT HAS ATION NCERNS. OFSEC, ECO RMATION
Export Control Concerns OPSEC Concerns Export Control Review (If different Name	UCNI V Yes No Yes No	Comment OPSEC Name	Reviewer (If different to	THIS DOCUMI NO INFORM SECURITY CO HAI STANGLE-BC LEAD, WERE INFO	ENT HAS ATION NCERNS. OFSEC, ECO RMATION OUR 14
Export Control Concerns OPSEC Concerns Export Control Review (If different Name Signature Computer Security	UCNI V Yes No Yes No	Comment OPSEC Name Signature	Reviewer (If different to	THIS DOCUMI NO INFORM SECURITY CO LLAB, WSRC INFO SECURITY CO	ENT HAS ATION NCERNS. OFSEC, ECO RMATION OUR 14

STI/WSRC/Srs Sent by: Catherine Witker To William Maloney/WSRC/Srs@Srs

CC

12/29/2003 08:36 AM

bcc

Subject WSRC-IM-98-30, Vol. I, Rev 5

This e-mail is to inform you that the document WSRC-IM-98-30, Vol. I, Rev 5, 2000 RCRA Part B Permit Renewal Vol. I, Rev 5 has been approved for release.

The document and copy of the approval documentation are being sent to you via Site mail.

Thanks, Cathie Witker Scientific and Technical Information (STI) 703-43A 5-2646 Aiken. SC 29808









March 23, 2004

Ms. Pauline Conner
Office of Chief Counsel
U.S. Department of Energy
P.O. Box A
Aiken, South Carolina 29802

Dear Ms. Conner:

DOCUMENTS FOR THE DOE READING ROOM (U)

The following document contains supporting information for the Savannah River Site's (SRS) Resource Conservation and Recovery Act (RCRA) 2000 Part B Permit Renewal Application:

1. WSRC-IM-98-30, 2000 RCRA Part B Permit Renewal Application, Volume I General Information, Rev. 5, dated 1/2004

This RCRA permit application (item #1) and the supporting documents have been submitted to SCDHEC for approval. Para R.61-79.124.10(c)(5)(v) of the South Carolina Hazardous Waste Management Regulations requires that these documents be placed in a public library as part of the public participation process. These documents must remain in the library until this application and all subsequent modifications of them are approved. I estimate that these documents will have to remain in the library until approximately 2015. Please ensure they are made available to the public in the DOE Reading Room at the University of South Carolina-Aiken as soon as possible.

If you have any questions, please call me at 803-725-1086.

Sincerely,

c:

Environmental Services Section

J. Wingard, 703-45A

J. Koch, 742-A

Rev. No.: 5

WSRC-IM-98-30 Date: January 2004

K. CERTIFICATION

[REF: R.61-79.270.11]

"I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations."

WSRC, Co-Operator

G. T. Wright, Manager

Savannah River Technology Center

Date Signed

Date Signed

DOE-SR; Owner and Co-Operator

Jeffrey M. Allison

Manager



To Lyddie Broussard/WSRC/Srs@Srs

CC

bcc

Subject environmental Bulletin

Hi Lyddie,

I just issued and Part B mod and need an Environmental Bulletin to go out sometime in the next 90 days. The suggested wording for the notice is:

Title: SRTC Mixed Waste Tanks Modification Requested

The Department of Energy (DOE)-Savannah River Operations Office has requested from the South Carolina Department of Health and Environmental Control (SCDHEC) modifications to Savannah River Site's (SRS) 1992 Resource Conservation and Recover Act (RCRA) Part B Permit Renewal Application for Volume I. This volume of the application provides information common to all of the Hazardous Waste Management Units at SRS.

The revision (rev 5 and 9 of Volume I) proposed deleting the SRTC Mixed Waste Tanks from the Part A and updating the SRTC Mixed Waste Tanks information presented in Appendix 4 Solid Waste Management Units (SWMU) list. This modification request is considered to be Class 1 modification that requires SCDHEC approval

More information, including the actual permit applications, is available for review and copying at the DOE Public Reading Room located in the University of South Carolina-Aiken Library, or by contacting personnel identified in this notice

For additional information, contact Jim Moore, Westinghouse Savannah River Company, Savannah River Site, 742-A, Aiken, SC 29808 or J. T. Litton, Director, Division of Waste Management, South Carolina Department of Health and Environmental Control, 2600 Bull Street, Columbia, SC 29201-1708.

Don't make a special bulletin issuane for this. Just combine it with one of the others that has to go out in the next month or so to save a bit of money. Let me know if you have any questions.

Thanks, Bill Maloney 725-1086 (beeper 14368)

	e e		
	SENDER: COMPLETE THIS SECTION		COMPLETE THIS SECTION ON DELIVERY
	 Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired. Print your name and address on the reso that we can return the card to you. Attach this card to the back of the major on the front if space permits. 	verse	A. Received by (Please Print Clearly) B. Date of Delivery C. Signature X D. Is delivery address different from item 1?
	Article Addressed to: JOHN T LITTON PE DIVISIONOF WASTE MANAGEMENT BUREAU OF LAND / WASTE MANAGEMENT SOUTH CAROLINA DEPARTMENT OF HEAL*	гн &	If YES, enter delivery address below: No No No No No No No N
	ENVIRONMENTAL CONTROL 2600 BULL STREET COLUMBIA SC 29201-1708		3. Service Type
			4. Restricted Delivery? (Extra Fee) ☐ Yes
	2. Article Number (Copy from service label) 709932200033 PS Form 3811, July 1999 54-629-2004-00063 Vol.	Damastic B	7257 eturn Receipt 102595-00-M-0952 1005 7099-3220-6003-3832-7257
			the state of the s
	e AIL RECEIPT Only; No Insurance Coverage Provided)	ailing red	ntifier for your mailpiece upon delive ry
Article Sent To:		1 17 1 1	delivery kept by the Postal Service for two years ninders: ill may ONLY be combined with First-Class Mail or Priority Mail
Postage	\$	000	WAILED FROM ZIP CODE
Certified Fee	Postmark	h	TAGSEELOOF TO THE TOTAL TOTAL TO THE TOTAL TOTAL TO THE TOTAL TOTAL TO THE TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TO THE TOTAL TOT
Return Receipt Fee (Endorsement Required) Restricted Delivery Fee	Here	р В П	Also S S S S S S S S S S S S S S S S S S S
(Endorsement Required)	1 🖈	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	War Calleton
Total Postage & Fees	l'	1 1 2 5	4804.65
Name (Please Print Cl	early) (To be completed by mailer)	17 me	post office for postmarking. If a postmark on the Certified Mail of needed, detach and affix label with postage and mail.
Street, Apt. No.; or PC) Box No.	is no	ot needed, detach and affix label with postage and mail.
Sucer, Apr. 1101, 01		.∤∶ Į į NT:	Save this receipt and present it when making an inquiry.

00, July 1999 (Reverse)

See Reverse for Instructions

102595-99-M-1938

City, State, ZIP+ 4

PS Form 3800, July 1999

7257

283c

0003

3220

7099

Enclosure 2 - ESH-ERP-2004-00063 Revision 5 Page Insertion Instructions 2000 RCRA Part B Permit Renewal Application Vol. I – General Information

Please remove and insert the following pages to the 2000 RCRA Part B Permit Renewal Application for Volume I – General Information.

Remove these pages from Volume I.	Insert these pages into Volume I from the attached permit application.						
List of Revisions, pages 1/2	List of Revisions, pages 1/2						
Section A, pages 1/1a	Section A, pages 1/1a						
Section A, pages 3/4	Section A, pages 3/4						
Section A, pages 4a/4b	Section A, pages 4a/4b						
Section A, pages 4k/4l	Section A, pages 4k/4l						
Section A, pages 4q/4r	Section A, pages 4q/4r						
Section A, pages 7c-7d	Section A, pages 7c-7d						
Section A, pages 7g-7h	Section A, pages 7g-7h						
Section A, pages 7i – 7l	Section A, pages 7i – 7l						
Pages K-1/K-2	Pages K-1/K-2						
Pages Appx 4-101/102	Pages Appx 4-101/102						

WSRC-[M-93-30] Date: April 2002

LIST OF REVISIONS

Revision #	Revision Date	Pages Affected
0	March 2000	Ail
1	January 2002	1, i, ii, iii, iv, v, viii, ix, x, xi, Hazardous Waste Permit Application Part A Rev. 27, B-4, B-8, B-9, B-11, C-1, C-2, C-3, C-4, C-5, C-7, C-8, C-9, C-10, C-11, C-12, D-2, D-3, D-5, D-6, D-7, D-8, D-9, D-10, D-11, D-12, E-4, E-5, E-6, E-7, E-8, E-9, E-10, E-11, E-12, E-13, E-14, E-15, E-16, E-17, E-18, E-19, E-20, E-21, E-22, E-23, E-24, E-24a, E-24b, F-1, F-2, F-4, F-5, F-7, F-8, F-8a, F-8b, F-16, F-17, G-8, G-9, G-10, G-11, G-12, G-13, G-14, G-15, G-16, G-17, G-18, G-19, G-20, G-21, G-21a, G-21b, G-22, G-31, G-32, G-33, G-34, G-36, G-37, H-2, H-3, H-4, H-5, H-6, H-7, H-8, H-9, H-10, H-15, I-2, I-3, I-4, K-1, Appendix 4
2	April 2002	1, viii, Hazardous Waste Permit Application Part A Rev. 28, B-8, D-1, D-2, D-7, E-52, F-7, G-12, G- 21b, G-21c, G-21d, G-36, G-37, H-10, I-2, I-3, I-4, K-1, 4-10

WSRC-IM-98-30 Date: January 2004

Revision #	Revision Date	Pages Affected
3	June 2003	2, iii, vii-ix, Section A (i, 1a, 4, 4a, 4h, 4k, 4s, 6bi.2, 7c, 7f, 7i, 7l), B-5, B-7, B-9, C-8, C-9, D-7, D-8, F-15 to F-23, G-4, G-5, G-21c, G-22, G-24, G-25, G-29, G-30, G-40, G-41, H-6, H-17, I-1, K-1, L-1, Appendix 4
4	September 2003	2, i-vi, Section A (4, 4a, 4g, 4i, 4s, 6bg, & 7L), B-7 to B-9, C-3, C-5, C-9 to C-14, D-10 to D-16, F-16, I-1 & K-1
5	January 2004	2, Section A (1-1a, 4, 4a, 4k, 4q, 7c, 7g, 7i, & 7l), K-1 & Appx. 4-102

OSR 41-7# (Rev 6-13-95)

For EPA Regional Use Only



United States Environmental Protection Agency Washington, DC 20460

Uazarda IA/

-						Hazardous Waste Permit																							
at Mor		ceive D	ay	Ye	ar	-					Α	ממ	lic	ati	or	ıP	ar	t A											
						1					(R	ead ti	he ins	truci	ions i	befor	e star	ting)	•										
l. h	nsta	llatio	n's E	PA IC) Nu	mber	(Mar	'k 'X' i	n the	аррі																			
		A. Fir	st Pa	rt A S	Subm	issio	n								⊠ E	. Pa	rt A A	mend	dmen	t #_2	7								
C.	Insta	allatio	n's Ei	PA ID	Nur	nber						D.	Seco	ndan	y ID N	lumb	er (If	applie	cable) .									
s	С	ı	8	9	0	0	0	8	9	8	9																		
II. I	Vam	e of F	acili	ty	•						<u> </u>			<u> </u>		L	1	1			L.,	1	L						
s	_A	V	Α	N	N	Α	Н		R	ı	٧	E	R		s	ı	Т	Е											
111.	Faci	ility L	ocati	on (F	Physi	cal a	ddres	s not	P.O.	Вох	or Ro	ute f	Vumb	er)						-		-							
Α. :	Stree	et																											
Н	w	Υ		1	2	5																			Τ				
Stre	et (C	Contin	ued)																						<u></u>		<u> </u>		·
																										Π			
City	or T	own											•			<u> </u>	<u> </u>	Sta	te		Zip C	ode				<u> </u>		1	1
j	Α	С	κ	s	0	N												s	С	2	9	8	3	1	$\lceil - \rceil$				
Cou	nty (Code		Coun	ty Na	ame															•				.1			1	L
			А		K	E	N		Α	L	,	Е	N	D			_		_ [T .	Ι.		T :	
		1					ic Location D. Facility									L	E		В	Α	R	N	W	Ε	L	L	1		
 ک	Lanc	ј Туре	9 9	C. Ge		phic	Locat	ion , <i>Minu</i>		Seco	nds)				A Degre		·	, & Se			' 	. Fac		Exist	ence ay	Date	Yea	<u> </u>	
		Code)	• C	Ge LATITI		phic	Locat		tes, &	Seco	nds)	LON			·	es, M	·	, & Se			' 	. Fac	ility E	Exist	ence ay	Date	Yea 9	8	0
(E	nter (Code)		3	ogra UDE	phic (De	Locat grees,		tes, &		-	LON	GITU	DE (·	es, M	inutes		conds	;)	' 	. Fac	cility E	Exist	ay	Date	Yea	T	0
IV. F	enter (Code)	ailing	3	ogra UDE	phic (De	Locat grees,		tes, &		-	LON	GITU	DE (·	es, M	inutes		conds	;)	' 	. Fac	cility E	Exist	ay	Date	Yea	T	0
IV. F	enter (Code)	ailing	3	ogra UDE	phic (De	Locat grees,		tes, &		-	LON	GITU	DE (·	es, M	inutes		conds	;)	' 	. Fac	cility E	Exist	ay	Date	Yea	T	0
IV. F	acil et o	Code)	ailing Box	3	ogra UDE 3	phic (De	Locat egrees,		tes, &	o	-	LON 0	GITUI	DE (·	es, M	inutes		0	0	' 	. Fac Mo	cility E	Exist	ay	Date	Yea	T	0
IV. F	acil et o	lity M	ailing Box	3	ogra UDE 3	phic (De	Locat egrees,		tes, &	o	-	LON 0	GITUI	DE (·	es, M	inutes	0	0	0	D	. Fac Mo	cility E	Exist	ay	Date	Yea	T	0
Stre P City	et or	lity M r P.O. S own	ailing Box T	3 Add	ogra UDE 3	phic (De	Locat egrees,		c C	o E	0	O B	B O	DE (Degre	өs, М 1 (inutes	0 Sta	0 te	0	Zip C	O Code	9	Exist D	ay	Date	Yea	T	0
Stre P City	et or O of T	ity M r P.O. Sown	ailing Box T	3 Add	ogra UDE 3	phic (De	Locat egrees 1 5		c C	o E	0	O B	B O	DE (Degre	es, M 4 (inutes	0 Sta	0 te	0	Zip C	O Code	9	Exist D	ay	Date 1	Yea	T	0
Stre P City A	et or O of T	ity M r P.O. Sown	ailing Box T	3 Add	ogra UDE 3	phic (De	Locat egrees 1 5		c C	o E	0	O B	B O	DE (Degre	es, M 4 (inutes	0 Sta	0 te	0	Zip C	O Code	9	Exist D	ay	Date 1	Yea	T	0
Stre P City A V. F	et or O of T I Facil	ity M P.O. S own K ity Co ast)	ailing Box T	3 Add	ogra UDE 3	phic (De	Locat egrees 1 5		c C	o E	0	O B	B O	DE (Degree A A A	A A	B	0 Sta	0 United C	0	Zip C	Facode 8	9 O	Exist D	ay	Date	Yea	T	0
Stree P City A V. F Nam	et or O of T I Facil	ity M P.O. S own K ity Co ast)	ailing Box T	3 Add	ogra UDE 3	phic (De	Locat egrees 1 5		c C	o E	0	O B	B O	DE (Degree A A A	A A	B	Sta	0 United C	0	Zip C	Facode 8	9 O	Exist D	ay	Date	Yea	T	0
Stree P City A V. F Nam G Job D	et or O of T I O Title	Iity M r P.O. S Cown K ity Cc ast) U	ailing Box T E Dontac	3 Add	O E	phic (De	Locating F F	acted	C C	o E	0 ywas	B B	8 O	1 X	Degree A Pr	A A A	B	Sta	0 conds	2 - Code	Zip C	Facode 8	9 0	2	9 9	1	Yea	T	0
V. F Nam G Job D VI. A. C	et or O of T I O Title	Code) lity M r P.O. S S Siown K ity Cc ast) U	ailing Box T E Dontac	3 Add	O E	Phic (De	Location F F	acted	C C rega	E) was	B B	8 O	1 X	Degree A Pr	A A A	B	Sta	0 conds	2 - Code	Zip C	Facode 8	9 0	2	9 9	1	Yea	T	0
V. F Nam G Job D VI. A. C	et or O of T I O Title	Code) lity M r P.O. S S Cown K ity Cc ast) U	ailing Box T E Dontac	3 Add	O E	Phic (De	Locate Green F F V V V See ins	acted	C C rega	E) was	B B	8 O	1 X	Degree A Pr	A A A	B	Sta	0 conds	2 - Code	Zip C	Facode 8	9 0	2	9 9	1	Yea	T	0
V. F Nam G Job D VI. I	et or O of T I O Title I Facil	ity M r P.O. S own K ity Cc ast) U	ailing Box T E Dontac	3 Add	ogradude 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	phic (De	F F V V V See ins	acted	C C rega	E Box) was	B B	8 O	X X	Degree A A Pr 8	A A A	B Numt	Star S	tte C	2 · · · · · · · · · · · · · · · · · · ·	Zip C	Face Mo	9 0	2	9 9	1	Yea	T	0

III. C <u>Geographic Location</u>: The latitude and longitude of each hazardous waste management facility covered by this application is provided below.

Facility	Lat	ituc	on of le	Long	ri tud	
Hazardous Waste Storage Facility (Bldgs. 645-N, 645-2N, 645-4N, SWSP 1, 2, & 3)	33	15	04	81	39	38
Hazardous Waste Storage Facility (Bldg. 710-B)	33	17	17	81	43	27
F-Area HWMF (Seepage Basins & Process Sewer Line)	33	16	36	81	40	44
H-Area HWMF (Seepage Basins & Process Sewer Line)	33	16	52	81	39	09
M-Area HWMF (Settling Basin, Overflow Ditch, Seep Area, Process Sewer Line, and Lost Lake)	33	19	52	81	44	13
Mixed Waste Storage Building 643-29E	33	17	06	81	39	21
Mixed Waste Oil (Tritiated) Storage Tank S-32	33	18	23	81	39	41
Transuranic (TRU) Waste Pads 1-5	33	39	12	81	15	25
Transuranic (TRU) Waste Pads 6-13	33	39	04	81	15	28
SRTC Mixed Waste Storage Tanks	- 33	- 20-	-43	81	-44	- 09
Mixed Waste Management Facility	33	17	10	81	40	10
Metallurgical Laboratory HWMF	33	21	01	81	44	00
F-Area Acid/Caustic Basin	33	17	19	81	-4 0·	22
H-Area Acid/Caustic Basin	33	17	08	81	38	43
K-Area Acid/Caustic Basin	33	12	47	81	39	28
P-Area Acid/Caustic Basin	33	13	52	81	34	31

	EPA	1 OI /	Numb	er (E	nter	from _i	oage	1)					Secondary ID Numb	er	(Enter fron	n page	 No. 0248-EPA-01
L	s	С	1	8	9	0	0	0	8	9	8	9					
. j	٧I.	Natu	re of	Bus	ines	s (Pro	ovide	a bri	ef de	script	on)						

he Savannah River Site produces nuclear material, primarily Plutonium and Tritium, to meet requirements of the Department of Defense. These products are formed by irradiation in nuclear reactors. They are recovered by separation processes.

XII. Process Codes and Design Capacities

- A. PROCESS CODE Enter the code from the list of process codes below that best describes each process to be used at the facility. Thirteen lines are provided for entering codes. If more lines are needed, attach a separate sheet of paper with the additional information. For "other" processes (i.e., D99, S99, T04 and X99), describe the process (including its design capacity) in the space provided in item XIII.
- B. PROCESS DESIGN CAPACITY For each code entered in column A, enter the capacity of the process.
 - AMOUNT Enter the amount. In a case where design capacity is not applicable (such as in a closure/post-closure or enforcement action) enter the
 total amount of waste for that process.
 - UNIT OF MEASURE For each amount entered in column B(1), enter the code from the list of unit measure codes below that describes the unit of
 measure used. Only the units of measure that are listed below should be used.
- C. PROCESS TOTAL NUMBER OF UNITS Enter the total number of units used with the corresponding process code.

F00	APPROPRIATE UNITS OF				APPROPRIATE UNITS OF
-	MEASURE FOR PROCESS	PROC	ESS		MEASURE FOR PROCESS
PROCESS	DESIGN CAPACITY	CODE	PROCES		DESIGN CAPACITY
<u>Disposal</u>					
Underground injection	Gallons; Liters; Gallons Per Day; or Liters Per Day	T87	Smelting, Melting,	7	
Landfill	Acre-feet or Hectare-meter	TOO			
Land Treatment	Acres or Hectares	100		1	
Ocean Disposal	Gallons Per Day or Liters Per Day	i			
Surface Impoundment	Gallons or Liters	Too			U D D 1 12 - D
Other Disposal	Any Unit of Measure Listed Below	109		Ga	llons Per Day; Liters Per
Storage	, , , , , , , , , , , , , , , , , , , ,	T00		υa	y; Pounds Per Hour; Short
Container	Gallons or Liters	190		→ 10	ns Per Hour; Kilograms
(Barrel, Drum, Etc.)		T04		Pe	r Hour; Metric Tons Per
Tank	Gallons or Liters	1 191		Da	y; Metric Tons Per Hour;
Waste Pile	Cubic Yards or Cubic Meters	1			ort Tons Per Day; or Btu's
Surface Impoundment				Pe	r Hour
		T00			
Containment				1	
		193		1	
	Any Unit of Measure Listed Relow			1	
	rany can or moderate Ediod Bolow	T04			
	Gallons Per Day or Liters Per Day	194		Cu	bic Yards or Cubic Meters
		ł	building- i reatment		
			Miscellaneous (Subpar	rt X)	
		V04	Once Burning/Once		11.0.434
		101		An	y Unit of Measure Listed
Other Treatment		V00			
		102	Mechanical Processing		ort Tons Per Hour; Metric Ton
		1			Hour; Short Tons Per Day;
		1		Me	tric Tons Per Day; Pounds Pe
		Voa	Thermal I Init	HO	ur; or Kilograms Per Hour
		703	memai unit	Ga	llons Per Day; Liters Per Day;
Boiler				P01	unds Per Hour; Short Tons Pe
		İ			ur; Kilograms Per Hour; Metric
					ns Per Day; Metric Tons Per
			· ·		ur; Short Tons Per Day; or Btu
		V04	Coologie Depositor:		r Hour
	Hour: Short Tons Per Day: or Blu's				bic Yards or Cubic Meters
	Per Hour	733	Otner Subpart X	An	y Unit of Measure Listed Below
Blast Furnace	Per Hour	739	Other Subpart A	An	y Official Measure Listed E
	Underground injection Landfill Land Treatment Ocean Disposal Surface Impoundment Other Disposal Storage Container (Barrel, Drum, Etc.) Tank Waste Pile Surface Impoundment Drip Pad Containment Building-Storage Other Storage Treatment Tank Surface Impoundment Incinerator Other Treatment Boiler Cement Kiln Lime Kiln Aggregate Kiln Phosphate Kiln Coke Oven	Disposal Underground injection Landfill Land Treatment Ocean Disposal Surface Impoundment Other Disposal Surface Impoundment Drip Pad Containment Drip Pad Containment Building-Storage Other Storage Other Storage Other Treatment Incinerator Other Treatment Other Treatment Other Treatment Drip Pad Containment Building-Storage Other Storage Other Storage Other Storage Other Treatment Drip Pad Containment Building-Storage Other Storage Other Storage Other Storage Other Storage Treatment Tank Surface Impoundment Incinerator Other Treatment Drip Pad Containment Building-Storage Other Storage Other Storage Treatment Tank Surface Impoundment Incinerator Other Treatment Drip Pad Containment Building-Storage Other Storage Other Storage Other Storage Treatment Gallons Per Day or Liters Per Day Gallons Per Day; Other Ser Hour; Metric Tons Per Hour; Gallons Per Hour; Metric Tons Per Day; Metric Tons Per Hour; Short Tons Per Day; or Btu's Per Hour Gallons Per Day; Liters Per Day; Pounds Per Hour; Short Tons Per Hour, Kilograms Per Hour; Metric Tons Per Day; Liters Per Day; Pounds Per Hour; Short Tons Per Hour, Kilograms Per Hour; Metric Tons Per Day; Liters Per Day; Pounds Per Hour; Short Tons Per Hour, Kilograms Per Hour; Metric Tons Per Day; Metric Tons Per Hour, Kilograms Per Hour; Metric Tons Per Day; Metric Tons Per Hour; Kilograms Per Hour; Metric Tons Per Day; Metric Tons Per Hour; Kilograms Per Hour; Metric Tons Per Day; Metric Tons Per Hour; Kilograms Per Hour; Metric Tons Per Day; Metric Tons Per Hour; Kilograms Per Hour; Metric Tons Per Day; Metric Tons Per Hour; Kilograms Per Hour; Metric Tons Per Day; Metric Tons Per Hour; Kilograms Per Hour; Metric Tons Per Day; Metric Tons Per Hour; Kilograms Per Hour; Metric Tons Per Day; Metric Tons Per Hour; Kilograms Per Hour; Metric Tons Per Day; Metric Tons Per Hour; Kilograms Per Hour; Metric	PROCESS PROCESS DESIGN CAPACITY Disposal Underground injection Landfill Land Treatment Ocean Disposal Surface impoundment Offine Pad Containment Drip Pad Containment Building-Storage Other Storage Conter Storage Other Storage Other Storage Other Storage Other Treatment Cother Treatment Drip Pad Containment Drip Pad Containment Building-Storage Other Storage Other Storage Other Storage Other Storage Any Unit of Measure Listed Below Treatment Tank Gallons Per Day or Liters Per Day Surface impoundment Gallons Per Day or Liters Per Day Surface impoundment Gallons Per Day or Liters Per Day Surface impoundment Incinerator Other Treatment Callons Per Day or Liters Per Day Short Tons Per Hour; Metric Tons Per Hour; Gallons Per Hour; Metric Tons Per Day; Liters Per Day; Pounds Per Hour; Short Tons Per Hour; Short Tons Per Day; or Btu's Per Hour; Short Tons Per Day; or Btu's Per Hour; Cement Kiln Lime Kiln Aggregate Kiln Phosphate Kiln Coke Oven Disposal Gallons; Liters; Gallons Per Day; or Btu's Tas Tas Tas Tas Gallons or Liters Cubic Yards or Cubic Meters Tas Tas Tas Tas Tas Tas Gallons Per Day or Liters Per Day Short Tons Per Hour; Metric Tons Per Hour; Kilograms Per Hour; Metric Tons Per Day; or Btu's Per Hour Gallons Per Day; or Btu's Per Hour, Kilograms Per Hour; Metric Tons Per Day; or Btu's Per Hour; Kilograms Per Hour; Metric Tons Per Day; or Btu's Per Hour; Kilograms Per Hour; Metric Tons Per Day; or Btu's Per Hour; Kilograms Per Hour; Metric Tons Per Day; or Btu's Per Hour; Kilograms Per Hour; Metric Tons Per Day; or Btu's Per Hour; Kilograms Per Hour; Metric Tons Per Day; or Btu's Per Hour; Kilograms Per Hour; Metric Tons Per Day; or Btu's Per Hour; Kilograms Per Hour; Metric Tons Per Day; or Btu's Per Hour; Kilograms Per Hour; Metric Tons Per Day; or Btu's Per Hour; Kilograms Per Hour; Metric Tons Per Day; o	PROCESS PROCESS DESIGN CAPACITY Disposal Underground injection Landfill Landfill Landfill Land Treatment Ocean Disposal Surface Impoundment Other Disposal Storage Container (Barrel, Drum, Etc.) Tank Waste Pile Surface Impoundment Drip Pad Containment Building-Storage Other Storage Treatment Tank Surface Impoundment Incinerator Other Treatment Other Treatment Other Treatment Boiler Cement Kiln Landfill Landfill Landfill Landfill Landfill Landfill Landfill Aggregate Kiln Phosphate Kiln Ploopshale Kiln Propad Containment Buildons or Liters Gallons Per Day or Liters Per Day Gallons Per Day or Liters Per Day Gallons Per Day; Liters Per Day Gallons Per Day; Liters Per Day Gallons Per Day; Liters Per Day Hour; Kilograms Per Hour; Metric Tons Per Hour; Short Tons Per Hour; Metric Tons Per Day; Liters Per Day; Gallons or Liters Gallons Per Day; Liters Per Day; Gallons Per Day; Liters Per Day; Determined Gallons or Liters Gallons Per Day; Liters Per Day; Determined Gallons Per Day; Determined Chloride Process Oxidation Reactor Tang Methane Reforming Tang Methane Reforming Tang Methane Reforming Tang Methane Reforming Titens Chloride Process Oxidation Reactor Tang Methane Reforming Titens Chloride Process Oxidation Reactor Tang Methane Reforming Tang Methane Reforming Tang Furnace Tang Methane Reforming Titens Chloride Process Oxidation Reactor Tang Methane Reforming Tang Furnace Tang Methane Reforming Titens Chloride Process Oxidation Reactor Tang Methane Reforming Tang Furnac	Disposal Underground injection Landfill Landfill Land Treatment Ocean Disposal Surface Impoundment Dip Pad Containment Building-Storage Cother Storage Treatment Cother Treatment Other Treatment Other Treatment Other Treatment Disposal Underground injection Gallons, Liters; Gallons Per Day; or Liters Per Day Callons or Liters Callons or Liters Cubic Yards or Cubic Meters Gallons Per Day or Liters Per Day Containment Building-Storage Other Storage Treatment Combustion Device Used in The Recovery Of Sulfur Values From Spent Sulfuric Acid Hour, Sallons Per Hour, Sallons Spent Sulfuric Acid Furnaces Table Treatment Gallons Per Day or Liters Per Day Gallons Per Day or Liters Per Day Short Tons Per Hour; Metric Tons Per Hour, Sallons Per Hour; Metric Tons Per Day; or Btu's Per Hour, Silograms Per Hour, Metric Tons Per Day; or Btu's Per Hour, Silograms Per Hour, Short Tons Per Hour, Kilograms Per Hour, Short Tons Per Hour, Kilograms Per Hour, Metric Tons Per Day; or Btu's Per Hour, Kilograms Per Hour, Metric Tons Per Day; or Btu's Per Hour, Kilograms Per Hour, Metric Tons Per Day; or Btu's Per Hour, Kilograms Per Hour, Metric Tons Per Day; or Btu's Per Hour, Kilograms Per Hour, Metric Tons Per Day; or Btu's Pounds Per Hour, Short Tons Per Hour, Kilograms Per Hour, Metric Tons Per Day; or Btu's Per Hour, Kilograms Per Hour, Metric Tons Per Day; or Btu's Description Percess Oxidation Reactor Reffining Furnace Table Titanium Dioxide Chleding Turnace Table Titanium Dioxide Chleding Turnace Table Titanium Dioxide Chleding Turnace Table Titanium Dioxide Chleding Treatment Table The Recovery Of Sulfur Values From Spent Sulfuric Acid Hour, S

UNIT OF MEASURE	UNIT OF MEASURE CODE
Gallons	
Gallons Per Hour Gallons Per Day	
Liters	
ters Per Day	

UNIT OF MEASURE	UNIT OF MEASURE CODE
Short Tons Per Hour Metric Tons Per Hour	
Short Tons Per Day	N
Metric Tons Per Day Pounds Per Hour	 J
Kilograms Per Hour	R

UNIT OF MEASURE	UNIT OF MEASURE CODE
Cubic Yards	Y
Cubic Meters	C
Acres	B
Acre-feet	A
Hectares	Q
Hectare-meter	F
Btu's Per Hour	I

EP	EPA ID Number (Enter from page 1) Secondary ID Number (Enter from page 1)																									
s	С	1	8	9	0	0	0	8	9	8	9		300 W		A September 19		Τİ	_ T_	T	T	1	Tag	T .,		Γ-	_
XII	. Pro	cess	Cod	es a	nd Des	sign (Capa	biliti	es (C	ontin		7/0		*	The second	. A. S.					<u> </u>	<u>L</u>	<u> </u>		<u> </u>	
												nur	nber)	X-1 bel	ow): A facil	lity has a	a storac	e tank	whic	h can	hold	533	700 -			
			Proc	ess										APACI"							1			anons	j. ——	
	ine mber	(Fre	Codi	9 1 <i>bove)</i>				1.	Amo	ount (Specify	y)							Process Total For Officia							
		-	Τ	1	-							(Enter Code) Number of Units					Units	Use Only								
X	1	S	0	2				5		3	3 (•	7	8	8	0	3	0	0	1						T
	1	s	0	1	1	,6	8	9	,8	5	2 .						3	0	0	2						1
	2	s	0	1	3	,6	4	5	,9	9	5.						3	0	0	2						+-
	3	s	0	1		3	1	0	,8	5	1.					0	3	0	0	1			_	 	<u> </u>	+-
	4	s	0	1		7	7	4	,9	7	6 .						3	0	0	3		\vdash	<u> </u>	 -		+-
	5	s	0	1							0 -							0	0	0			-	 -		+
	6															 		-				_	<u> </u>	 		+-
	7	s	0	2							0.					- 0	2						 - 	 	-	+-
	8	s	0	2		1	5	3	,4	0	0.					† 		0	0	0		-	_		-	╀-
	9		1													- 0	3	0_	1	4		 	├-	\vdash		┼
1	0	s	0	6							0 .				· · · · · · · · · · · · · · · · · · ·		-					ļ	-	'	-	┼
1	1	_		-			-				<u> </u>					0	3	0	0	0			<u> </u>			_
	H		-								•	· 				ļ										
1	2										•	ı														<u> </u>
1	3	<u></u>	L		<u> </u>						<u> </u>							in the same format as above.								
N	umbe	if you r the	u nee Iines	d to I sequ	ist mo ientialt	re tha y, tak	an 13 ding i	proc nto a	ess c	odes It any	, attac lines	sh a tha	additio et will 1	nal sho be use	eet(s) with d for "other	the infor	mation	in the :	same S99	forma	tas a	above). n iton	n VIII		
															nd X99 pro										,	
	ne		Proce											PACIT			Proces	s								
Nun	nber		Code	٠.							Specify				2. Unit Of Measure		Total umber			D. De	scrip	tion (of Pro	cess		
seg w	eXII)														(Enter Code)		Units				•					
X	1	T	0	4							•									ln	-situ	Vitrifi	icatio	n		
Y2. '	1						-				•							╛								
																							-			
	2																			-						
-																										
	e.																									
V-5-0-0	3									•				`	***		,									
Ŗ.											•				•,											
	4															Ť										
	7										•						· · · · ·									
X to																										
	ti.													a - tanks							-					

EP	A ID I	Vumt	oer (E	nter	from pa	age :	1)									Secondary	ID Nur	nber	(Ente	r fron	n nan		IA NO. C	Z48-EPA-C	
s	С	1	8	9	0	0	0	8	9	8	9		73 E					T	T	T	T	T .,	T		
XII	. Pro	cess	Cod	es ar	nd Des	ign (Capa	biliti	es (C	ontin	nued)		3 3 11444	. <i>M</i> 3	200	×1.					<u> </u>		<u></u>		
_	EXA	MPL	E FO	R CC	OMPLE	TINC	3 ITE	M XII	(Sho	own i	n line	nu	mber)	(-1 be	low): A facili	ty has a storag	e tank	whic	h can	hold	533.	788 a	allons		
١,	.ine		Proc	ess									GN CA					Proce		T					
F .	mber	(Fro	Code om list i	-				1.	Amo	ount ((Speci	ify)				2. Unit Of Measure		Total				For Official Use Only			
x	1	s	0	2				5	:	3	3		7				_				T	7	Ţ		
	1	D	8	0	 			1	,3	9	6		_ <u>′</u>	8	8	G	0			-	\vdash	┼	-		
	2				<u> </u>										7	Α	0	0	2	├-	\vdash	-			
	3	D	8	3	55	٥,	7	5	,0	0	0	·	·							_	_	├	-		
	4											•		-		G	0	0	4	├-	-	├			
	5	Т	0	1					0	0	0	•								-	├-	├			
	6	Т	0	1				-			0					U	0	0	0		┼	┼		_	
	7									_						U	0	0	0	-	┼─	 	\vdash		
	8	Т	0	3							1	•	2	1	3					-	├	_			
	9											•			<u> </u>	D	0	0		-	├				
1	0	T	0	4		_	3	5	<u> </u>	0	8	•													
1	1	<u> </u>	-						,3			•				U	0	0	4	-		<u> </u>			
1	2											•								_					
1	3		\vdash									•		-						<u> </u>					
-		lf vo	1 000	d to I	let mor	e the	n 13	Droc		odes	atte	·	additio	nai ah	100t/0\ 11dth t	ha info	on in the same format as above.								
N	umbe	r the	iines	sequ	entially	/, tak	dng ir	nto ac	ccoun	nt any	/ line:	s th	at will t	De use	ed for "other"	ne information processes (i.e	in the : 9., D99	same , S99,	TOTA	and >	300ve (99) i). n iten	n XIII.		
XIII.	Oth	er Pr	oces	808 (Follow	instr	uctio	ns fro	om ite	m XI	l for l	D 9 9), S99,	T04 a	and X99 proc	cess codes)									
	ne		Proce					В.	PRO	CES	S DE	SIC	GN CA	PACIT	TY 2. Unit Of	C. Process	•			•			ma	 -	
			Code					1.	Amo	unt (Specif	(y)			Measure (Enter Code)	Number			D. De	scrip	ition o	of Pro	cess		
X	1	Т	0	4					·			-			TETRE COOL	of Units	1		lr	-eitu	Vitelf	icatio		1994 -	
	1	Т	0	4				4	,4	8	9	<u>•</u>			U	001	Haz	ardo					bldg		
												Ī				001	710	-B pl	H adj	ustn	nent,	, filtra	ation	, &	
																	COLL	pact	ION						
	2	Т	0	4			1	7	,9	5	0	•			U	001	TRU	J Pac	ds 2-	19 p	H ac	just	men	t,	
																	abs trea	orptic tmer	on, fi it, & :	Itrati stab	on, d iliz	deac	t, de	ebris	
	3	Т	0	4				8	,2	2	9				U	001	Haz	Hazardous waste storage bldg							
ý															The state of the state of	7	N-Area pH adjustment, absorption, filtration, & compaction								
																				•					
	4	T	0	4				5	,2	4	0				U	001	Moved waste storage buildings-pH adjustment,								
																•	&ab	sorptik	on .						

EP	PA ID Number (Enter from page 1) Secondary ID Number (Enter from page 1)																								
S	С	1	8	9	0 0	0	8	9 8	3	9			, **						T	1			T		
XII	. Pro	cess	Cod	es ar	nd Design (Capab	ilitie	(Con	ntinu	ed)									<u> </u>		Ь				
	EXA	MPL	E FO	R CC	MPLETING	ITEM	1 XII ((Showi	n in i	line n	umber	X-1 be	olow): A fac	cility I	has a storag	je tank,	whic	h can	hold	533.	788 g	allon	 S.		
			Proc									APAC				1	Proce		T						
1	.ine ımber	(Fre	Code m list a				1. /	Amoun	nt (Sp	oecify))			- 1	. Unit Of feasure	Total For Official Use Only									
-	T	-	T	<u> </u>											(Enter Code)	Numt	oer of	Units	,						
X	1	s	0	2			5	3		3 .	7	8	8	_	G	0	0	1							
	1	T	0	4									0		U	0	0	0					<u>.</u>		
	2	T	0	4									0		U	0	0	0							
		<u>_</u> .	<u> </u>							_ •															
			<u> </u>																						
						·																		<u> </u>	
												7,													
N	OTE:	If yo	u nee	d to I	ist more tha	in 13 p	roce	ss cod	les, a	attach	additi	ional si	neet(s) with	h the	information	in the	same	forma	at as	above	₽.				
					entially, tak Follow instr									~		e., D99	, 599,	T04	and >	(99) i	n iten	n XIII	•	 .	
			Proce		0.000 11.311							APACI		roces.	C. Process									-	
Nur	ne nber		Code			_		mount			10110	<u> </u>	2. Unit C		Total]		D. De	escrin	otion (of Pro	YASS			
seg v	r#sin v/XII)	(From	list abo	ve)									Measure (Enter Cod		Number of Units										
X	1	T	0	4						•								Ir	n-situ	Vitrif	icatio	'n			
	1	T	0	4			**************************************	240 - XF 920 - 12	e (e. dece	<u>0 ·</u>	or STREET, CO.		U		0	LA	FF E	run	n Cı	rust	ter				
*	3.274k																								
															14.4	4									
	2	Т	0	4						<u>0 ·</u>			U		0	H₩	//M\	V T I	B V	olur	ne f	Red	ucti	on	
2															44										
															24										
	3	Т	0	4						0.			U		0	HW	//M }	V TI	3 P	oas	ting				
																Ret	ortii	1g			Ĭ				
					er er																				
	4																								
					i de																				

Pg 4. LINE NO. 7 (S02-tank storage) INCLUDES:

Facil	ity	Capacity/Gallons	Number <u>Units</u>
#	Mixed Waste Oil (Tritiated) Storage Tank S-32	0	0
	SRTC Mixed Waste Storage Tanks	52,310	2
	Total	0	0

- MW Oil Storage Tank S-32 was emptied, steam cleaned, flushed with hot water, verified to be empty of all condensate/flush water and filled with concrete. In our opinion , there were no waste or residues remaining at the time the tank was grouted, therefore we feel that this tank was clean closed. The closure certification and report was sent to SCDHEC on 9/7/1988 (ref 9/7/1988 DOE-SR letter, S. R. Wright to W. W. Culler) and as discussed between W. Whitaker of DOE-SR and Alan Coffey of SCDHEC. SCDHEC never sent a letter to SRS concurring with the report. Tank S-32 is located in the vicinity of the Solvent tanks 23-30 within the Low Level Rad Waste Disposal Facility (LLRWDF) at the burial ground. This is within the boundary of the Mixed Waste Management Facility (MWMF) which has groundwater monitoring, however the MW Oil Storage Tank S-32 does not have groundwater monitoring specific to this unit. The MWMF groundwater is known to be contaminated and will be remediated. Refer to the MWMF Part B for further information concerning the contamination and corrective action to be taken.
- ** These tanks represent 2 storage units (one high level waste group and one low level waste group of tanks) as the tanks are adjacent to each other, are piped together, and are operated by the same persons using the similar procedures/plans.

Pg 4, LINE NO. 8 (S02-tank storage) INCLUDES:

Faci	lity	Capacity/Gallons	Number <u>Units</u>
**	CIF Tank Storage Areas	33,400	2
	Burial Ground Solvent Tks S23-S30	0 ##	8
#	Solvent Storage Tanks S33-S36	120,000	4
	Total	153,400	14

** The Consolidated Incineration Facility Tank Storage Areas includes: (1) the CIF Tank Farm for influent waste streams (two 6500-gallon tanks and two 4200-gallon tanks) and the Scrubber Blowdown Storage Tanks for scrubber blowdown waste (two 6000-gallon tanks). To facilitate final treatment and disposal of the scrubber blowdown waste, the Scrubber Blowdown Storage Tanks will also serve as treatment tanks (TO1) for pH-adjustment.

These tanks represent 2 storage units (one influent waste group and one scrubber blowdown group of tanks) as the tanks are within close proximity of each other, are piped together, and are operated by the same persons using the similar procedures/plans.

- * This includes 8 tanks (S23 S30) at 25,000 gal capacity each.
- # This includes 4 tanks (S33-S36) at 30,000 gal capacity each. Solvent Tank S-37 was deleted from the Part A in rev 9 in 1993 and was never built. The correct capacity for Tanks S33-36 is 120,000 gal as shown in the current Part A has no change was made.
- ## This includes 8 tanks (S23 - S30) at 25,000 gal capacity each. They Solvent Tanks S23 30 were emptied, triple rinsed, emptied (with the exception of small heal of rinse water) and filled with concrete. In our opinion , there were no waste or residues remaining at the time the tank was grouted, therefore we feel that this tank was clean closed. SCDHEC never sent a letter to SRS concurring with the closure. Tanks S-23-30 are located within the Low Level Rad Waste Disposal Facility (LLRWDF) at the burial ground. This is within the boundary of the Mixed Waste Management Facility (MWMF) which has groundwater monitoring, however the Solvent Tanks S23-30 do not have groundwater monitoring specific to this unit. The MWMF groundwater is known to be contaminated and will be remediated. Refer to the MWMF Part B for further information concerning the contamination and corrective action to be taken.

Pg 4a, LINE NO. 6 (T01-Treatment in tanks) INCLUDES:

Facility		Gallons/day	Number <u>Units</u>
** SRTC MWST		14,400	
	Total	0	n

^{*} Integral with tank storage, therefore it was counted as part of storage unit.

This includes the reduction pretreatment, ion exchange resin apparatus and mixer. At the maximum design capacity of 10 GPM, this translates to a max of 14,400 GPD. In addition, treatment for pH adjustment may occasionally be necessary. The max design capacity for pH adjustment is 11,800 GPD. This is based upon treatment of max of two 5,900 Gal tanks per day. The 11,800 GPD pH adjustment capacity capacity is part of the 14,400 GPD (not in addition to).

Pg 4a, LINE NO. 8 (T03-incineration) INCLUDES:

Faci	lity	Capacity/Tons per Hour	Number <u>Units</u>
*	Consolidated Incineration Facility	1.213	1
	Tota	1.213	1

* The Consolidated Incineration Facility (CIF) will treat only SRS generated incinerable hazardous, low level radioactive, and mixed wastes. Waste to be treated will be in both solid and liquid form. Wastes to be treated will include both listed and characteristic hazardous wastes. The wastes to be treated are generated primarily as a result of the routine operation of the SRS. The maximum feed rates are:

PCC HHV 385 lb/hr SCC HHV 191 lb/hr PCC LHV 950 lb/hr PCC Solid 900 lb/hr Total 2426 lb/hr

2426 lb/hr*(1 ton/2000lb) = 1.213 tons/hr
maximum feed rate capacity for the CIF.

XV. MAP

FACILITY Hazardous Waste Storage Facility (Building 645-N, -4N, SWSP 1-3)	3302 SERIES TOPOGRAPHIC TAB MAP IDENTIFICATION IS I 673, 702, 703, 704, 732 733, 734, 762, 763, 764	MAP <u>OCATED</u> E
Hazardous Waste Storage Fac. (Building 645-2N)	673, 702, 703, 704, 732 733, 734, 762, 763, 764	E
Hazardous Waste Storage Fac. (Building 710-B)	941, 970, 971, 972, 1001 911	F AG
F-Area HWMF	793, 822, 823, 824, 853 Note 1	G
H-Area HWMF	764, 765, 793, 794, 795 796, 824, Note 1 825	H H AH
M-Area HWMF	1121, 1122, 1123, 1092 1151, Note 1	I
Mixed Waste Storage Building 643-29E	S5-6-577, S5-6-575 fig 3, fig A-3	L
Mixed Waste Oil (Tritiated) Storage Tank S-32	S5-6-577, S5-6-575 fig 3, fig A-3	L
Transuranic (TRU) Waste Pads 1-5	GB0300, GB0380	N
Transuranic (TRU) Waste Pads 6-13	GB0300, GB0380	N

SRTC Mixed Waste Storage	See Figure 1;	
Tanks	- 1153	

XV. MAPS (Continued)

FACILITY	3302 SERIES TOPOGRAPHIC MAP IDENTIFICATION*	TAB MAP IS LOCATED
Mixed Waste Management Facility (643 28E)	GB0300 GB0380	S
Metallurgical Laboratory HWMF (A-Area)	1123, 1153	т
Congolidated Insignation Familia.		
Consolidated Incineration Facility	w836347, w836348, w836349	V
TRU Pads 14-19	GB0300, GB0380	N
ETWAF/WCF	See Map, 6/26/87	Z
Mixed Waste Storage Building 643-43E	See Figure 1	AA
Waste Storage Pads 20 22	GB0300, GB0380	N
Burial Ground Solvent Tanks S23-S30	See Map (fig. B-3)	AB
Mixed Waste Storage Shed, Bldg. 316-M	3302-1153 See Figure 1	AF

XVI. FACILITY DRAWINGS (Continued)

FACILITY

DRAWING IDENTIFICATION**

SRTC Mixed Waste Storage Tanks

- W156961, ST5 24316 W156962 ST5 23444, W156960 Figure 2, Tab R

Mixed Waste Management

Facility

See Figures, Tab S S5-6-577, Tab L

Metallurgical Laboratory

(A-Area)

See Figures B-3 and E-10, HWMF

Tab T

Consolidated Incineration Facility

W833070, W833071, W833072 W833073, W833074, W836374 W836375, W836376, W836377

TRU Pads 14-19

See Figure 1, S5-6-1402, Tab N

ETWAF/WCF

S5-6-1524, S5-6-1165 S5-6-1166, S5-6-1526 See Figure 1, Tab Z

Mixed Waste Storage Building 643-43E

WMT-900221

Burial Ground Solvent Tanks S23 - S30

S5-6-654, S5-6-655

XVI. FACILITY DRAWINGS (Continued)

FACILITY

Mixed Waste Storage Shed, Bldg. 316-M

Sanitary Landfill

Solvent Storage Tanks S33 - S36

DRAWING IDENTIFICATION**

W740671, W739177

S5-6-1698, S5-6-637, S5-6-1050

See Figures 1 and 2, Tab AH

M Area Pad, Building 315-4M

TAB AL, S5-3-5872, 4/5/89, 3154MPAD.DGN, Rev 0 S5-3-3877, Rev 22, S5-3-5871, Rev 1 S5-3-5870, 4/5/89

** To support EPA Form 8700-23,, Item XVI.

XVII. PHOTOGRAPHS

FACILITY	PHOTOGRAPH IDENTIFICATION***	Negatiye #
Hazardous Waste Storage Facility (Building 645-N, -4N, SWSP 1-3)	See Tab E	39484-2 39484-3
Hazardous Waste Storage Fac. (Building 645-2N)	See Tab E	-
Hazardous Waste Storage Fac. (Building 710-B)	See Tab F	39484-1
F-Area HWMF	See Tab G	4134-26
H-Area HWMF	See Tab H	4134-50
M-Area HWMF	See Tab I	4133-17 94-1050-17
Mixed Waste Storage Building 643-29E	See Tab K	-
Mixed Waste Oil (Tritiated) Storage Tank S-32	See Tab L	-
Transuranic (TRU) Waste Pads 1-5	See Tab N	30731-8
Transuranic (TRU) Waste Pads 6-13	See Tab N	

SRTC Mixed Waste Storage	See Tab R	
11592-24		_
Tanks	1_1	1952 16

XVII. PHOTOGRAPHS (Continued)

FACILITY	PHOTOGRAPHS	
· · · · · · · · · · · · · · · · · · ·	IDENTIFICATION***	Negative #
Mixed Waste Management Facility (643 28E)	See Tab S	89-2078-13
Metallurgical Laboratory HWMF (A-Area)	See Tab T	92-1826-1 92-1826-7
Consolidated Incineration Facility	See Tab V	Artist Rendition
TRU Pads 14-19	See Tab N	89-2078-13
ETWAF/WCF	See Tab Z, Page 3	89-1907-3
Mixed Waste Storage Building 643-43E	See Tab AA, Page 2	
Waste Storage Pads 20 22	See Tab AB, Page 2	89 2078 13
Burial Ground Solvent Tanks S23 - S30	See Tab AD, Page 2	31587-2
Mixed Waste Storage Shed, Bldg. 316-M	See Tab AF, Page 2 See Tab AF, Page 3	15875-12 15875-11

^{***} To support EPA Form 8700-23, Item XVII.

XVII. PHOTOGRAPHS (Continued)

FACILITY	PHOTOGRAPHS IDENTIFICATION***	Negative #
Sanitary Landfill	See Tab AG, Page 5 See Tab AG, Page 6	90-1253-15 90-1253-9
Solvent Storage Tanks S33 - S36	See Tab AH, Page 2	92-1351-1
M-Area Pad, Building 315-4M	Coo Mah ar Du O S	
ca rad, barraing Jij-4n	See Tab AL, Pg 2-5	

*** To support EPA Form 8700-23, Item XVII.

XVIII. CERTIFICATION

"I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations."

WSRC as Co-Operator

G. T. Wright, Manager

Savannah River Technology Center

DOE-SR (as Owner and Co-Operator

Jeffrey M. Allison

Manager

Date Signed

WSRC-IM-98-30 Date: January 2004

K. CERTIFICATION

[REF: R.61-79.270.11]

"I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations."

WSRC, Co-Operator

G. T. Wright, Manager

Savannah River Technology Center

Date Signed

Date Signed

DOE-SR; Owner and Co-Operator

Jeffrey M. Allison

Manager

Rev. No.: 0

WSRC-IM-98-30 Date: March 2000

THIS PAGE INTENTIONALLY LEFT BLANK

UNIT NAME:

NEW SOLVENT TANKS

BLDG. NO.:

607-33H, 34H, 35H, 36H

UNIT TYPE: TANK

COORDINATES:

N/A

REG.

RCRA: INTERIM STATUS

AUTHORITY:

DIMENSION: 44 FT X 12 FT

WASTE TYPE:

MIXED

STATUS:

ACTIVE

CAPACITY: 4-30,000 GALLON TANKS

DATE ACTIVE: 1996 TO PRESENT

MATERIALS OF CONSTRUCTION: STEEL, DOUBLE WALLED

WASTE

PUREX SOLVENT CONTAINING: N-BUTYL PARAFTEN

DESCRIPTION:

TRIBUTYL PHOSPHATE

TRACE METALS RADIONUCLIDES

CORRECTIVE ACTIONS:

THIS UNIT IS LISTED IN APPENDIX H. REGULATED UNITS OF THE FEDERAL FACILITY AGREEMENT AS

"LIQUID WASTE SOLVENT TANKS \$33-\$36".

UNIT NAME:

SRTC MIXED WASTE STORAGE TANKS

BLDG. NO.:

776-A

UNIT TYPE: TANKS

SRS

COORDINATES:

N107000 E52000

RCRA/CERCLA

AUTHORITY: FFA

DIMENSION: 10 FT DIA. X 11 FT

8 FT DIA. X 11 FT 12 FT DIA. X 11 FT, 7 IN.

WASTE TYPE:

HAD - Sample returns, Radioactive

LAD - Non-hazardous, Radioactive

STATUS:

ACTIVE

CAPACITY: 7 5,900-GAL BELOW-GRADE TANKS

3 3,670-GAL BELOW-GRADE TANKS 1 10,000-GAL ABOVE-GRADE TANK,

DATE

1954 - PRESENT

ACTIVE:

MATERIALS OF CONSTRUCTION:

304L STAINLESS STEEL

WASTE

DESCRIPTION:

HAD TANKS RECEIVE RADIOACTIVE LIQUID SAMPLES FROM THE TECHNICAL AREA LABORATORY OPERATIONS THAT ARE RETURNED TO 200 F. THE LAD TANKS RECEIVE NON-HAZARDOUS

RADIOACTIVE LIQUID WASTE FROM THE TECHNICAL AREA LABORATORY OPERATIONS. THE WASTE

IS TRANSFERED TO ETF. THE WASTE QUANTITY VARIES. THE 10,000 GALLON ABOVE GRADE TANK IS

INACTIVE.

CORRECTIVE **ACTIONS:**

THESE UNITS ARE LISTED IN APPENDIX C OF THE FEDERAL FACILITY AGREEMENT.